


3D PDF DATASHEET



eCATALOGsolutions



BIM catalogs.net



PARTsolutions



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog




Reduce Your Costs in Engineering and Purchasing



1213A21000ZH-0-0-0--(1000/0)

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog




Reduce Your Costs in Engineering and Purchasing



1213A21000ZH-0-0-0--(1000/0)

2D derivation


ISO View



3D PDF DATASHEET



eCATALOG solutions



BIM catalogs.net



PART solutions



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog




Reduce Your Costs in Engineering and Purchasing





1213A21000ZH-0-0-0--(1000/0)

Technical drawings



121
124
126



3D PDF DATASHEET

Create Your Individual 3D PDF Datasheet



eCATALOG solutions

Learn How to Create Your Mechanical Product Catalog



BIM catalogs.net

Learn How to Create Your BIM Product Catalog



PART solutions

Reduce Your Costs in Engineering and Purchasing



1213A21000ZH-0-0-0--(1000/0)

Technical Data

CODE (Code)	1213A21000ZH
DI (Diameter)	125
TYPE (Type)	Double-acting, cushioned
EX (Execution)	Series 3
HUB (Stroke / mm)	1000
HUBST (Rod position / mm)	0
MAT (Material)	Stainless steel piston rod and nut aluminium piston
SE (Seal)	Rod gasket in FKM/FPM, others in NBR
VER (Version)	N/A
AC1 (Front accessories)	
AC2 (Rear accessories)	N/A
AC3 (Intermediate accessories)	
AC4 (Left sensors)	
AC5 (Right sensors)	
INFO (Catalogue)	Catalogue
PL (/ mm)	25
VD (/ mm)	20
A (/ mm)	10
B (/ mm)	60
B1 (/ mm)	54
WH (/ mm)	65
C1 (/ mm)	45
CH1 (/ mm)	27
CH2 (/ mm)	41
CH3 (/ mm)	12
KK (Thread)	M27x2
D (/ mm)	32
TG (/ mm)	110
VA (/ mm)	4
F (/ mm)	54
EE (Thread)	G1/2
RT (Thread)	M12
E (/ mm)	135
R (/ mm)	0
L (/ mm)	225

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet ▶



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog ▶



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog ▶



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing ▶



1213A21000ZH-0-0-0--(1000/0)

Technical Data

L0 (/ mm)	160
L1 (/ mm)	0
ZM (/ mm)	290
BG (/ mm)	25.5
N (/ mm)	6.5
P (/ mm)	12
Q (/ mm)	8
DIX (Diameter / mm)	125

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



1213A21000ZH-0-0-0--(1000/0)

Bill of Materials

N°	Description	Amount
1	1213A21000ZH	1